ATTIX 50 combines high Wet&Dry performance with big container capacity - the ideal solution for demanding customers with high frequency cleaning. The improved ergonomic design ensures functional and user-friendly operation - all in all an effcient and reliable solution.

ATTIX 50 will solve all major tasks in your company, workshop, garage, production etc. The Push&Clean or XtremeClean offers an impressive cleaning performance and keeps the suction performance constantly high. The design offers you cable storage, accessory storage and a big tool deposit to keep all you need at hand. The larger size of the ATTIX 50 allows you to work longer without emptying the container, and with the wide range of available models, it's difficult to imagine that you won't find a perfect match for your wetand dry vacuum cleaning tasks.

Operating costs are minimized with the washable PET fleece filter elements, and the low working noise level lets you work when others are nearby, without disturbing them.

The -21 models are equiped with a convenience socket so no need for a extra extension cable, just plug your tool into the vacuum cleaner. Automatic On/Off (-21) models are the choice of people who use the vacuum cleaner with electric hand tools because starting or stopping the tool starts and stops the vacuum, as well. An optional Airbox is available which performs with the same function when using pneumatic tools.



Picture shown may not represent model quoted

- · Low working sound level SilentPower high performance that is seen, but not heard
- · MultiFit accessory system for the ultimate in task flexibility
- Washable PET fleece filter with minimum 99.9% filtration efficiency
- · Accessory storage and tool deposit
- · AntiStatic System

#### Standard equipment

	Included accessories	Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC 230V 50HZ EU	
Filter							
	FILTER ELEMENT Ø211X140 H-CLASS	302000658	1		•		
9	FILTER PET FLEECE M-CLASS D185X140 ATTIX	302000490	1	•		•	
1	FLAT FILTER PET NANO M-CLASS SET 2 PCS	302002842	1				
Special Filter							
	MOTOR COOLING FILTER KIT	302003721	1		•		
System 27 Ho	ose Vacuum Cleaner						
	HOSE D27X3500 AS WITH TOOL ADAPTER	107406091	1				



	Included accessories	Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC 230V 50HZ EU
System 36 Hos	se Vacuum Cleaner					
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	1	•	•	•
9	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	1			
	UNI. HOSE Ø36X4000MM EVA	25537	1			
System 36 Tut	pe					
	CURVED HAND TUBE D36MM ST/CR	302000528	1			•
	CURVED HAND TUBE Ø36MM SS	46691	1			
	EXTENSION TUBE D36 2X500MM ALU	107400032	1			
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	1			•
	EXTENSION TUBE Ø36 2X505MM SS	107408074	1			
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	1	•	•	•
System 36 Bru	sh/Universal Nozzle					
	BRUSH NOZZLE Ø36X70	5146	1			
System 36 Vac	Floor Nozzle					



	Included accessories	Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC 230V 50HZ EU
4	FLOOR NOZZLE D36X400MM W/D	302003666	1			•
System 36 Cr	revice/Cone Nozzle					
	CREVICE NOZZLE D36X200	29541	1			•
	CREVICE NOZZLE Ø36X300 PP	6084	1			
Exhaust Air C	collector					
	EXHAUST AIR COLLECTOR	302003717	1		•	

#### Standard equipment

Otanuara equipment						
	Included accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
Filter						
	FILTER ELEMENT Ø211X140 H-CLASS	302000658	1			
9	FILTER PET FLEECE M-CLASS D185X140 ATTIX	302000490	1	•	•	•
4	FLAT FILTER PET NANO M-CLASS SET 2 PCS	302002842	1			
Special Filter						
Millimur.	MOTOR COOLING FILTER KIT	302003721	1			
System 27 Ho	ose Vacuum Cleaner					
	HOSE D27X3500 AS WITH TOOL ADAPTER	107406091	1			
System 36 Ho	se Vacuum Cleaner					
-						



	Included accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	1			
9	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	1	•	•	•
	UNI. HOSE Ø36X4000MM EVA	25537	1			
System 36 Tu	be					
	CURVED HAND TUBE D36MM ST/CR	302000528	1	•		•
	CURVED HAND TUBE Ø36MM SS	46691	1		•	
	EXTENSION TUBE D36 2X500MM ALU	107400032	1			
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	1	•		•
	EXTENSION TUBE Ø36 2X505MM SS	107408074	1		•	
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	1			
System 36 Br	ush/Universal Nozzle					
	BRUSH NOZZLE Ø36X70	5146	1		•	
System 36 Va	c Floor Nozzle					
4	FLOOR NOZZLE D36X400MM W/D	302003666	1	•		•



	Included accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
System 36 Cr	System 36 Crevice/Cone Nozzle					
	CREVICE NOZZLE D36X200	29541	1	•	•	•
	CREVICE NOZZLE Ø36X300 PP	6084	1			
Exhaust Air C	collector					
	EXHAUST AIR COLLECTOR	302003717	1			

#### Standard equipment

- Grandard equipment						
	Included accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V50HZ VLT GB	ATTIX 50-01 PC 230V 50HZ ZA	ATTIX 50-01 PC 110V 50-60HZ GB
Filter						
	FILTER ELEMENT Ø211X140 H-CLASS	302000658	1			
9	FILTER PET FLEECE M-CLASS D185X140 ATTIX	302000490	1	•	•	•
4	FLAT FILTER PET NANO M-CLASS SET 2 PCS	302002842	1			
Special Filter						
Hilliam	MOTOR COOLING FILTER KIT	302003721	1			
System 27 Ho	ose Vacuum Cleaner					
	HOSE D27X3500 AS WITH TOOL ADAPTER	107406091	1			
System 36 Ho	se Vacuum Cleaner					
6	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	1	•		



	Included accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V50HZ VLT GB	ATTIX 50-01 PC 230V 50HZ ZA	ATTIX 50-01 PC 110V 50-60HZ GB
9	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	1		•	•
	UNI. HOSE Ø36X4000MM EVA	25537	1			
System 36 Tu	be					
C	CURVED HAND TUBE D36MM ST/CR	302000528	1		•	•
	CURVED HAND TUBE Ø36MM SS	46691	1			
	EXTENSION TUBE D36 2X500MM ALU	107400032	1			
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	1		•	•
	EXTENSION TUBE Ø36 2X505MM SS	107408074	1			
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	1			
System 36 Bro	ush/Universal Nozzle					
	BRUSH NOZZLE Ø36X70	5146	1			
System 36 Va	c Floor Nozzie					
4	FLOOR NOZZLE D36X400MM W/D	302003666	1			•
System 36 Cr	evice/Cone Nozzle					



	Included accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V50HZ VLT GB	ATTIX 50-01 PC 230V 50HZ ZA	ATTIX 50-01 PC 110V 50-60HZ GB
	CREVICE NOZZLE D36X200	29541	1	•	•	•
	CREVICE NOZZLE Ø36X300 PP	6084	1			
Exhaust Air C	Collector					
4	EXHAUST AIR COLLECTOR	302003717	1			
Model			IX 50-21 PC 30V 50HZ E			TIX 50-21 PC 80V 50HZ EU
Ref. no.			107400411	10740	00412	107407545
PRODUCT F	EATURES					
Softstart			•	•	•	•
Anti-static sys	stem		•	•	•	•
Motor speed	control		•	•	•	•
Automatic on	/off - electric tools		•	•	•	•
Brushless lon	nglife 1-ph. motor		•	(	•	
Storage of ac	ccessories		•	•	•	•
HEPA upstre				•	•	
Extra socket			•	•	•	•
Disposal bag						
Fleece filter b	ag 1 pcs.		•			•
Model			TIX 50-01 I 30V 50HZ E			TIX 50-01 PC 30V 50HZ GB
Ref. no.			302003411	30200	03621	302003630
PRODUCT F	EATURES					
Softstart			•	•	•	•
Anti-static sys	stem		•		•	•
Motor speed	control					
Automatic on	/off - electric tools					
Brushless lor	nglife 1-ph. motor					
Storage of ac	ccessories		•	•	•	•
HEPA upstre	am filtration					



Extra socket for tool

Model	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
Ref. no.	302003411	302003621	302003630
PRODUCT FEATURES			
Disposal bag 1 pcs			
Fleece filter bag 1 pcs.	•	•	•
Model	ATTIX 50-01 PC 230V50HZ VLT GB	ATTIX 50-01 PC 230V 50HZ ZA	ATTIX 50-01 PC 110V 50-60HZ GB
Ref. no.	302003631	302003637	302004262
PRODUCT FEATURES			
Softstart	•	•	•
Anti-static system	•	•	•
Motor speed control			
Automatic on/off - electric tools			
Brushless longlife 1-ph. motor			
Storage of accessories	•	•	•
HEPA upstream filtration			
Extra socket for tool			
Disposal bag 1 pcs			
Fleece filter bag 1 pcs.	•	•	•
Technical specifications	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC 230V 50HZ EU
Power Pmax (W)	1400	1400	1500
Power Piec (W)	1100	1100	1200
Mains connection (V/~/Hz/A)	230/1/50-60/16	230/1/50-60/16	230/1/50-60/16
Airflow rate (I/min.)	3200	3200	3700
Vacuum (mbar/kPa)	230/23	230/23	250/25
Working sound level (dB(A))	60	60	59
El cable (m)	7.5	7.5	7.5
Container volume (I-max)	47	47	47
Filter cleaning system	Push&Clean	Push&Clean	Push&Clean
Main filter type	PET	HEPA	PET
Length x width x height (mm)	450x380x750	450x380x750	450x380x750
Weight (kg)	11	11	11



Container volume (I-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750           Weight (kg)         11         11         11           Technical specifications         ATTIX 50-01 PC 230V 50HZ VLT GB         ATTIX 50-01 PC 230V 50HZ ZA	Technical specifications	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
Mains connection (V/-/Hz/A)         230/1/50-60/16         230/1/50-60/10         230/1/50-60/13           Airflow rate (I/min.)         3700         3700         3700           Vacuum (mbar/kPa)         250/25         250/25         250/25           Working sound level (dB(A))         59         59         59           El cable (m)         7.5         7.5         10           Container volume (I-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750           Weight (kg)         11         11         11         11           Technical specifications         ATTIX 50-01 PC 230V50HZ VLT GB         ATTIX 50-01 PC 230V 50HZ ZA         ATTIX 50-01 PC 230V 50HZ ZA <t< td=""><td>Power Pmax (W)</td><td>1500</td><td>1500</td><td>1500</td></t<>	Power Pmax (W)	1500	1500	1500
Airflow rate (l/min.)         3700         3700         3700           Vacuum (mbar/kPa)         250/25         250/25         250/25           Working sound level (dB(A))         59         59         59           El cable (m)         7.5         7.5         10           Container volume (I-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750           Weight (kg)         11         11         11         11           Technical specifications         ATTIX 50-01 PC 230V50HZ VLT GB         ATTIX 50-01 PC 230V 50HZ ZA         ATTIX 50-01 PC	Power Piec (W)	1200	1200	1200
Vacuum (mbar/kPa)         250/25         250/25         250/25           Working sound level (dB(A))         59         59         59           El cable (m)         7.5         7.5         10           Container volume (l-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750           Weight (kg)         11         11         11         11           Technical specifications         ATTIX 50-01 PC 230V 50HZ CP 230V 50HZ CP 220V 50HZ CP 250HZ CP 230V 50HZ CP 250HZ CP 230V 50HZ CP 250HZ CP 250HZ CP 230V 50HZ CP 250HZ CP 250	Mains connection (V/~/Hz/A)	230/1/50-60/16	230/1/50-60/10	230/1/50-60/13
Working sound level (dB(A))         59         59         59           El cable (m)         7.5         7.5         10           Container volume (l-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750         450x380x750           Weight (kg)         11         <	Airflow rate (I/min.)	3700	3700	3700
El cable (m)         7.5         7.5         10           Container volume (l-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750           Weight (kg)         11         11         11         11           Technical specifications         2ATTIX 50-01 PC 230V 50HZ ZA         ATTIX 50-01 PC 110V 50-60HZ GB         ATTIX 50-01 PC 230V 50HZ ZA         ATTIX 50-01 PC 110V 50-60HZ GB           Power Pmax (W)         1500         1500         1150         1150           Power Piec (W)         1200         1200         1100         1100           Mains connection (V/~/Hz/A)         2301/150-60/13         2301/150-60/16         110/1/50/16           Airflow rate (l/min.)         3700         3700         3200           Vacuum (mbar/kPa)         250/25         250/25         230/23           Working sound level (dB(A))         59         59         59           El cable (m)         10         7.5         10           Container volume (l-max)         47         47         47<	Vacuum (mbar/kPa)	250/25	250/25	250/25
Container volume (I-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750           Weight (kg)         11         11         11           Technical specifications         ATTIX 50-01 PC 230V50HZ VLT GB         ATTIX 50-01 PC 230V 50HZ ZA         ATTIX 50-01 PC 230V 50HZ ZA           Power Pmax (W)         1500         1500         1150           Power Piec (W)         1200         1200         1100           Mains connection (V/-/Hz/A)         230/1/50-60/13         230/1/50-60/16         110/1/50/16           Airflow rate (I/min.)         3700         3700         3200           Vacuum (mbar/kPa)         250/25         250/25         230/23           Working sound level (dB(A))         59         59         59           El cable (m)         10         7.5         10           Container volume (I-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET	Working sound level (dB(A))	59	59	59
Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750           Weight (kg)         11         11         11           Technical specifications         ATTIX 50-01 PC 230V 50HZ VLT GB         ATTIX 50-01 PC 230V 50HZ ZA         ATTIX 50-01 PC 230	El cable (m)	7.5	7.5	10
Main filter type         PET         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750           Weight (kg)         11         11         11         11           Technical specifications         ATTIX 50-01 PC 230V 50HZ ZA	Container volume (I-max)	47	47	47
Length x width x height (mm)         450x380x750         450x380x750         450x380x750           Weight (kg)         11         11         11           Technical specifications         ATTIX 50-01 PC 230V 50HZ VLT GB         ATTIX 50-01 PC 230V 50HZ ZA         ATTIX 50-01 PC 110V 50-60HZ GB           Power Pmax (W)         1500         1500         1150           Power Piec (W)         1200         1200         1100           Mains connection (V/~/Hz/A)         3700         3700         3200           Vacuum (mbar/kPa)         250/25         250/25         230/23           Working sound level (dB(A))         59         59         59           El cable (m)         10         7.5         10           Container volume (I-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750	Filter cleaning system	Push&Clean	Push&Clean	Push&Clean
Weight (kg)         11         11         11           Technical specifications         ATTIX 50-01 PC 230V 50HZ VLT GB         ATTIX 50-01 PC 230V 50HZ ZA         ATTIX 50-01 PC 110V 50-60HZ GB           Power Pmax (W)         1500         1500         1150           Power Piec (W)         1200         1200         1100           Mains connection (V/~/Hz/A)         230/1/50-60/13         230/1/50-60/16         110/1/50/16           Airflow rate (I/min.)         3700         3700         3200           Vacuum (mbar/kPa)         250/25         250/25         230/23           Working sound level (dB(A))         59         59         59           El cable (m)         10         7.5         10           Container volume (I-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750	Main filter type	PET	PET	PET
Technical specifications         ATTIX 50-01 PC 230V 50HZ VLT GB         ATTIX 50-01 PC 230V 50HZ ZA         ATTIX 50-01 PC 110V 50-60HZ GB           Power Pmax (W)         1500         1500         1150           Power Piec (W)         1200         1200         1100           Mains connection (V/~/Hz/A)         230/1/50-60/13         230/1/50-60/16         110/1/50/16           Airflow rate (I/min.)         3700         3700         3200           Vacuum (mbar/kPa)         250/25         250/25         230/23           Working sound level (dB(A))         59         59         59           El cable (m)         10         7.5         10           Container volume (I-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750	Length x width x height (mm)	450x380x750	450x380x750	450x380x750
Power Pmax (W)         1500         1500         1150           Power Piec (W)         1200         1200         1100           Mains connection (V/~/Hz/A)         230/1/50-60/13         230/1/50-60/16         110/1/50/16           Airflow rate (I/min.)         3700         3700         3200           Vacuum (mbar/kPa)         250/25         250/25         230/23           Working sound level (dB(A))         59         59         59           El cable (m)         10         7.5         10           Container volume (I-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750	Weight (kg)	11	11	11
Power Piec (W)         1200         1200         1100           Mains connection (V/~/Hz/A)         230/1/50-60/13         230/1/50-60/16         110/1/50/16           Airflow rate (I/min.)         3700         3700         3200           Vacuum (mbar/kPa)         250/25         250/25         230/23           Working sound level (dB(A))         59         59         59           El cable (m)         10         7.5         10           Container volume (I-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750				
Mains connection (V/~/Hz/A)       230/1/50-60/13       230/1/50-60/16       110/1/50/16         Airflow rate (I/min.)       3700       3700       3200         Vacuum (mbar/kPa)       250/25       250/25       230/23         Working sound level (dB(A))       59       59       59         El cable (m)       10       7.5       10         Container volume (I-max)       47       47       47         Filter cleaning system       Push&Clean       Push&Clean       Push&Clean         Main filter type       PET       PET       PET         Length x width x height (mm)       450x380x750       450x380x750       450x380x750	Technical specifications			
Airflow rate (I/min.)       3700       3700       3200         Vacuum (mbar/kPa)       250/25       250/25       230/23         Working sound level (dB(A))       59       59       59         El cable (m)       10       7.5       10         Container volume (I-max)       47       47       47         Filter cleaning system       Push&Clean       Push&Clean       Push&Clean         Main filter type       PET       PET       PET         Length x width x height (mm)       450x380x750       450x380x750       450x380x750	Technical specifications  Power Pmax (W)	230V50HZ VLT GB	230V 50HZ ZA	110V 50-60HZ GB
Vacuum (mbar/kPa)         250/25         250/25         230/23           Working sound level (dB(A))         59         59         59           El cable (m)         10         7.5         10           Container volume (I-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750	·	230V50HZ VLT GB 1500	230V 50HZ ZA 1500	110V 50-60HZ GB 1150
Working sound level (dB(A))         59         59         59           El cable (m)         10         7.5         10           Container volume (I-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750	Power Pmax (W)	230V50HZ VLT GB 1500 1200	230V 50HZ ZA 1500 1200	110V 50-60HZ GB 1150 1100
El cable (m)         10         7.5         10           Container volume (I-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750	Power Pmax (W)  Power Piec (W)  Mains connection (V/~/Hz/A)	230V50HZ VLT GB 1500 1200 230/1/50-60/13	230V 50HZ ZA 1500 1200 230/1/50-60/16	110V 50-60HZ GB 1150 1100 110/1/50/16
Container volume (I-max)         47         47         47           Filter cleaning system         Push&Clean         Push&Clean         Push&Clean           Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750	Power Pmax (W)  Power Piec (W)  Mains connection (V/~/Hz/A)	230V50HZ VLT GB 1500 1200 230/1/50-60/13 3700	230V 50HZ ZA 1500 1200 230/1/50-60/16 3700	110V 50-60HZ GB 1150 1100 110/1/50/16 3200
Filter cleaning system  Push&Clean  Push&Clean  Push&Clean  Push&Clean  Push&Clean  Push&Clean  Push&Clean  Petr  Petr  Petr  Length x width x height (mm)  450x380x750  450x380x750  450x380x750	Power Pmax (W)  Power Piec (W)  Mains connection (V/~/Hz/A)  Airflow rate (I/min.)	230V50HZ VLT GB 1500 1200 230/1/50-60/13 3700 250/25	230V 50HZ ZA 1500 1200 230/1/50-60/16 3700 250/25	110V 50-60HZ GB 1150 1100 110/1/50/16 3200 230/23
Main filter type         PET         PET         PET           Length x width x height (mm)         450x380x750         450x380x750         450x380x750	Power Pmax (W)  Power Piec (W)  Mains connection (V/~/Hz/A)  Airflow rate (I/min.)  Vacuum (mbar/kPa)  Working sound level (dB(A))	230V50HZ VLT GB 1500 1200 230/1/50-60/13 3700 250/25 59	230V 50HZ ZA 1500 1200 230/1/50-60/16 3700 250/25 59	110V 50-60HZ GB 1150 1100 110/1/50/16 3200 230/23 59
Length x width x height (mm) 450x380x750 450x380x750 450x380x750	Power Pmax (W)  Power Piec (W)  Mains connection (V/~/Hz/A)  Airflow rate (I/min.)  Vacuum (mbar/kPa)  Working sound level (dB(A))  El cable (m)	230V50HZ VLT GB 1500 1200 230/1/50-60/13 3700 250/25 59 10	230V 50HZ ZA 1500 1200 230/1/50-60/16 3700 250/25 59 7.5	110V 50-60HZ GB 1150 1100 110/1/50/16 3200 230/23 59 10
	Power Pmax (W)  Power Piec (W)  Mains connection (V/~/Hz/A)  Airflow rate (I/min.)  Vacuum (mbar/kPa)  Working sound level (dB(A))  El cable (m)  Container volume (I-max)	230V50HZ VLT GB 1500 1200 230/1/50-60/13 3700 250/25 59 10 47	230V 50HZ ZA 1500 1200 230/1/50-60/16 3700 250/25 59 7.5 47	110V 50-60HZ GB 1150 1100 110/1/50/16 3200 230/23 59 10 47
Weight (kg) 11 11 11	Power Pmax (W)  Power Piec (W)  Mains connection (V/~/Hz/A)  Airflow rate (I/min.)  Vacuum (mbar/kPa)  Working sound level (dB(A))  El cable (m)  Container volume (I-max)	230V50HZ VLT GB  1500  1200  230/1/50-60/13  3700  250/25  59  10  47  Push&Clean	230V 50HZ ZA  1500  1200  230/1/50-60/16  3700  250/25  59  7.5  47  Push&Clean	110V 50-60HZ GB  1150  1100  110/1/50/16  3200  230/23  59  10  47  Push&Clean
	Power Pmax (W)  Power Piec (W)  Mains connection (V/~/Hz/A)  Airflow rate (I/min.)  Vacuum (mbar/kPa)  Working sound level (dB(A))  El cable (m)  Container volume (I-max)  Filter cleaning system	230V50HZ VLT GB  1500  1200  230/1/50-60/13  3700  250/25  59  10  47  Push&Clean  PET	230V 50HZ ZA  1500  1200  230/1/50-60/16  3700  250/25  59  7.5  47  Push&Clean  PET	110V 50-60HZ GB  1150  1100  110/1/50/16  3200  230/23  59  10  47  Push&Clean  PET

ullet Standard equipment,  ${}^\bigcirc$  Supplementary accessories,  ${}^\square$  Mountable equipment

Accessories		Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC 230V 50HZ EU
Vacuum Accessory Set						
Sie ?	ANIMAL CARE SET Ø27MM 4-PCS	6095	1	0	0	0
	BOILER SET Ø 36MM 4-PCS	60430	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC 230V 50HZ EU
1	CAR SET Ø36MM 3 PCS	63211	1	0	0	0
þ,	CHIP SET Ø50MM 2-PCS	61681	1	0	0	0
172	HOME & OFFICE SET Ø36MM 5-PCS	63212	1	0	0	0
	HOSE SET Ø36MM 3 PCS	63210	1	0	0	0
93	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	1	0	0	0
<u> </u>	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	1	0	0	0
9	INDUSTRIAL SET 38	302002881	1	0	0	0
9/2	OVEN CLEANING SET 3 PCS	14341	1	0	0	0
<b>1</b>	PIPE CLEANING SET Ø 38MM 4-PCS	63215	1	0	0	0
10,,	STANDARD VAC SET Ø50MM 3-PCS	6085	1	0	0	0
<u> </u>	TRADE AND IND. SET Ø36MM 5-PCS	63213	1	0	0	0
1//	WATER VACUUM SET Ø36MM 3- PCS	7727	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC 230V 50HZ EU
19	WORKSHOP HOSE KIT AS SYSTEM 36 6 PCS	107413546	0	0	0	0
19	WORKSHOP HOSE KIT SYSTEM 36 5-PCS	107413545	0	0	0	0
The state of the s	WORKSHOP KIT BASIC D36MM 4PCS	107401367	1	0	0	0
	WORKSHOP SET Ø36MM 6-PCS	302000927	1	0	0	0
System 36 Tu	be					
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	1	0	0	0
-	CURVED HAND TUBE D36MM ST/CR	302000528	1	0	0	•
	CURVED HAND TUBE Ø36MM SS	46691	1	0	0	0
	EXTENSION TUBE D36 2X500MM ALU	107400032	1	0	0	0
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	1	0	0	•
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	1	0	0	0
	EXTENSION TUBE D36 3X350 MM SS	107416995	0	0	0	0
	EXTENSION TUBE Ø36 2X505MM SS	107408074	1	0	0	0
	TELESCOPIC TUBE D36 575-930MM CR-ST	107402654	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC 230V 50HZ EU
	TELESCOPIC TUBE Ø36X550-970 SS	47109	1	0	0	0
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	1	•	•	•
Co	TOOL ADAPTER D27/35/38	60916	1	0	0	0
	TOOL ADAPTER WITH SUCTION REGULATION D32	107409977	1	0	0	0
System 36 Ho	ose Vacuum Cleaner				'	
	HOSE AS D36X4000MM	15311	1	0	0	0
	HOSE Ø36X4000 AS EVA	63209	1	0	0	0
	HOSE Ø36X4000 MM AS RED	107413544	0	0	0	0
6	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	1	•	•	•
	SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT	302001677	1	0	0	0
	UNI. HOSE Ø36X3000MM EVA	15805	1	0	0	0
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	1	0	0	0
	UNI. HOSE Ø36X4000MM EVA	25537	1	0	0	0
	UNIV HOSE WITH HAND TUBE D32X3500 CPL.	107409976	1	0	0	0
System 36 Br	ush/Universal Nozzle					
	BRUSH NOZZLE Ø36X70	5146	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC 230V 50HZ EU
	BRUSH NOZZLE Ø36X230 PP/PA	6086	1	0	0	0
	OVAL BRUSH NOZZLE Ø36MM	40455	1	0	0	0
	RADIATOR BRUSH NOZZLE Ø36X420	5144	1	0	0	0
	SUCTION BRUSH D36 BLACK	302002509	1	0	0	0
<b>*</b>	TURBINE HAND BRUSH NOZZLE Ø36X150MM	41275	1	0	0	0
4	UNIV NOZZLE Ø36X150 ALU	5145	1	0	0	0
~	UNIVERSAL NOZZLE D36X115	14295	1	0	0	0
Special Filter						
	FILTER FOR MOTOR COOLING 30/40/50	107400453	1	0	0	0
	FILTER PROTECTIVE COVER Ø185X200	11801	1	0	0	0
Hilliam	MOTOR COOLING FILTER KIT	302003721	1	0	•	0
	WET FILTER SIEVE Ø143X140MM SS	15475	1	0	٥	0
System 50 Va	ic Floor Nozzle					
	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	1	0	0	0



Rel. no.	•		_				
FILTER ELEMENT Ø185X140 HEPA H14  FILTER ELEMENT Ø211X140 H-CLASS  FILTER PET FLEECE M-CLASS D185X140 ATTIX  FLAT FILTER H-CLASS SET 2 PCS  FLAT FILTER PET NANO M-CLASS SET 2 PCS  ADAPTER Ø50-36MMX125  CURVED ALU EXT.TUBE Ø50X1000  15335  1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		Accessories	Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	PC CLEAN	ATTIX 50-21 PC 230V 50HZ EU
NOZZLE ALU. 500XØ50MM WET		FLOOR NOZZLE Ø50x450 WET/DRY ADJ	302002880	1	0	0	0
Filter         Filter           FILTER ELEMENT Ø185X140 HEPA H14         302001095         1         0         0           FILTER ELEMENT Ø211X140 H-CLASS         302000658         1         0         0           FILTER PET FLEECE M-CLASS D185X140 ATTIX         302000490         1         0         0           FLAT FILTER H-CLASS SET 2 PCS         107400449         1         1         0         0           System 50 Tube         ADAPTER Ø50-36MMX125         40452         1         0         0         0           CURVED ALU EXT.TUBE Ø50-36MM         15335         1         0         0         0           CURVED HAND TUBE Ø50-36MM         15341         1         0         0         0	4	FLOOR NOZZLE Ø50X350 PVC	6077	1	0	0	0
FILTER ELEMENT Ø185X140 HEPA H14  302001095  1		NOZZLE ALU. 500XØ50MM WET	15344	1	0	0	0
FILTER ELEMENT Ø211X140 H-CLASS 302000658 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Filter						
FILTER PET FLEECE M-CLASS D185X140 ATTIX 302000490 1 • • • • • • • • • • • • • • • • • •		FILTER ELEMENT Ø185X140 HEPA H14	302001095	1	0	0	0
FLAT FILTER H-CLASS SET 2 PCS 107400449 1  FLAT FILTER PET NANO M-CLASS SET 2 PCS 302002842 1  System 50 Tube  ADAPTER Ø50-36MMX125 40452 1 0 0 0  CURVED ALU EXT.TUBE Ø50X1000 15335 1 0 0 0 0  CURVED HAND TUBE Ø50-36MM 15341 1 0 0 0 0		FILTER ELEMENT Ø211X140 H-CLASS	302000658	1	0	•	0
FLAT FILTER PET NANO M-CLASS SET 2 PCS 302002842 1  System 50 Tube  ADAPTER Ø50-36MMX125 40452 1	9	FILTER PET FLEECE M-CLASS D185X140 ATTIX	302000490	1	•	0	•
System 50 Tube  ADAPTER Ø50-36MMX125 40452 1		FLAT FILTER H-CLASS SET 2 PCS	107400449	1			
ADAPTER Ø50-36MMX125 40452 1 0 0 0  CURVED ALU EXT.TUBE Ø50X1000 15335 1 0 0 0  CURVED HAND TUBE Ø50-36MM 15341 1 0 0 0	4	FLAT FILTER PET NANO M-CLASS SET 2 PCS	302002842	1			
ADAPTER Ø50-36MMX125 40452 1	System 50 Tu	be					
CURVED HAND TUBE Ø50-36MM 15341 1 ° °			40452	1	0	0	0
		CURVED ALU EXT.TUBE Ø50X1000	15335	1	0	0	0
ELBOW 90 Ø 50MM 5089 1 ° °		CURVED HAND TUBE Ø50-36MM	15341	1	0	0	0
		ELBOW 90 Ø 50MM	5089	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC 230V 50HZ EU		
	SUCTION TUBE 2pcs Ø50 525MM PVC	5152	1	0	0	0		
System 50 Ho	System 50 Hose Vacuum Cleaner							
9	AS HOSED50X4000MM	15815	1	0	0	0		
þ	CHIPS HOSE Ø50X4000MM	15182	1	0	0	0		
0	HOSE HEAT RESIST. Ø 50X4000MM	11061	1	0	0	0		
	HOSE OIL RESISTANT D50X40	6468	1	0	0	0		
	METAL HOSE Ø50X4000MM	15013	1	0	0	0		
15	UNI. HOSE Ø50X4000MM EVA/ABS	15358	1	0	0	0		
	UNIV HOSE Ø 50X1750MM	19930	1	0	0	0		
System 36 Va	c Floor Nozzle							
7	COMBI NOZZLE Ø36X260MM	302002365	1	0	0	0		
<b>*</b>	ELECTRIC TURBINE BRUSH Ø36X305MM 230V	11664	1	0	0	0		
	FLOOR NOZZLE COMBI Ø36X270MM	107417892	0	0	0	0		
<u>ال</u>	FLOOR NOZZLE D36x300MM W/D KIT	107402706	1	0	0	O		



	Accessories	Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC 230V 50HZ EU
4	FLOOR NOZZLE D36X400MM W/D	302003666	1	0	0	•
ل	FLOOR NOZZLE Ø36X300MM	302002331	1	0	0	0
1.	FLOOR NOZZLE Ø36X330 ALU	5147	1	0	0	0
4	FLOOR NOZZLE Ø36X400 SPECIAL WET/DRY	5149	1	0	0	0
_	NOZZLE ALU. 450XØ36MM DRY	15348	1	0	0	0
_	NOZZLE ALU. 450XØ36MM WET	15349	1	0	0	0
	TURBINE BRUSH NOZZLE 300XØ36MM	54118	1	0	0	0
	WATER SUCTION NOZZLE Ø36X300	7270	1	0	0	0
System 50 Cr	evice/Cone Nozzle					
	CREVICE NOZZLE Ø50X370 PE	7102	1	0	0	0
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	1	0	0	0
8	FLAT NOZZLE RUBBER Ø50MM	31244	1	0	0	0
	ROUND NOZZLE Ø50MM RUBBER	19936	1	0	0	0
System 38 Va	c Floor Nozzle					



	Accessories	Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC 230V 50HZ EU
٨	FLOOR NOZZLE D38x400 WET AND DRY	302002798	1	0	0	0
4	FLOOR NOZZLE Ø38x450 WET AND DRY ADJ	302002799	1	0	0	0
	OVEN NOZZLE 400X Ø38MM	63380	1	0	0	0
System 36 Cr	evice/Cone Nozzle					
	CREVICE NOZZLE D36X200	29541	1	0	0	•
	CREVICE NOZZLE Ø36X300 PP	6084	1	0	0	0
	CREVICE NOZZLE Ø 36X15X920 ST/CR	17836	1	0	0	0
	DIA. TUBE NOZZLE Ø36x190 MM GREY RUBBER	5067	1	0	0	0
	FLAT NOZZLE Ø36MM RUBBER	40456	1	0	0	0
System 38 Tu	be					
	CURVED HAND TUBE D38 MM SS	302002889	1	0	0	0
	EXTEN TUBE THERMAL INSULATE Ø38X2000MM	15339	1	0	0	0
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	1	0	0	0
	EXTENSION TUBES R38 2X500 KIT	107402474	1	0	0	0
Sack Filter						
	SPECIAL CLOTH FILTER NEEDLE FELT	302000606	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC 230V 50HZ EU
System 27 Ho	ose Vacuum Cleaner					
	HOSE D27X3500 AS WITH TOOL ADAPTER	107406091	1	0	0	0
	TOOL ADAPTER D27/36-24 AS	107404520	1	0	0	0
10	UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA	14289	1	0	0	0
System 38 Ho	ose Vacuum Cleaner					
O	HOSE D38X5000 AS	107401368	1	0	0	0
	HOSE HEAT RES. 36X4000 FOR	6070	1	0	0	0
	UNI. SUCTION HOSE Ø38X4000MM EVA	302002796	1	0	0	0
	UNIV HOSE Ø36-38X4000MM EVA	15365	1	0	0	0
Other						
	AIRBOX 120V 60 HZ US	107400394	1			
	AIRBOX 230V 50 HZ EU	107400079	1	0	0	0
1	SPARK EXTINGUISHER Ø50	34591	1	0	0	0
System 27 Br	ush/Universal Nozzle					
	BRUSH CURRY COMB Ø 27MM	6093	1	0	0	٥
-	CURRY COMB Ø27MM	6092	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC 230V 50HZ EU
	SPIKED CURRY COMB Ø 27MM	6094	1	0	0	0
System 32 H	ose Vacuum Cleaner					
	AS HOSED32X5000MM WITH TOOL	30657	1	0	0	0
	COAXIAL SUCTION HOSE Ø32 SET	107400841	1	0	0	0
	HOSE Ø32X4000MM AS RED	107413543	0	0	0	0
Filter Bag						
Mo	FLEECE FILTER BAG 5 PCS ATTIX 40/50	302004004	1	0	0	0
Exhaust Air C	Collector					
4	EXHAUST AIR COLLECTOR	302003717	1	0	•	0
System 50 B	rush/Universal Nozzle	·				
4	COARSE DIRT NOZZLE Ø50X175 PP	5153	1	0	0	0
1	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	1	0	0	0
	ROUND BRUSH NOZZLE Ø50MM	40458	1	0	0	0
System 38 C	revice/Cone Nozzle					
	CREVICE FLAT NOZZLE Ø38X240X65 MM	43535	0	0	0	0
	CREVICE NOZZLE Ø38x300 MM PP	302002890	1	0	0	0
	PIPE CLEAN NOZZLE Ø38 R120-200MM	8054	1	0	0	0
	TOOL ADAPTER 38/50 MM	302002884	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-21 PC EC 230V 50HZ EU	ATTIX 50-21 PC CLEAN ROOM	ATTIX 50-21 PC 230V 50HZ EU	
Disposal Bag	Disposal Bag						
P	DISPOSAL BAG ATTIX 5/50 5 PCS	302000728	1	0	0	0	
	DISPOSAL BAG FOR FILTER ELEMENT	30082	1	0	0	0	

ullet Standard equipment,  ${}^\bigcirc$  Supplementary accessories,  ${}^\square$  Mountable equipment

	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
Vacuum Acce	essory Set					
Sie ?	ANIMAL CARE SET Ø27MM 4-PCS	6095	1	0	0	0
	BOILER SET Ø 36MM 4-PCS	60430	1	0	0	0
1	CAR SET Ø36MM 3 PCS	63211	1	0	0	0
þ,	CHIP SET Ø50MM 2-PCS	61681	1	0	0	0
1	HOME & OFFICE SET Ø36MM 5-PCS	63212	1	0	0	0
- TO.	HOSE SET Ø36MM 3 PCS	63210	1	0	0	0
-	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	1	0	0	0
<u> </u>	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
	INDUSTRIAL SET 38	302002881	1	0	0	0
9/2	OVEN CLEANING SET 3 PCS	14341	1	0	0	0
<b>1</b>	PIPE CLEANING SET Ø 38MM 4-PCS	63215	1	0	0	0
10,1	STANDARD VAC SET Ø50MM 3-PCS	6085	1	0	0	0
<u></u>	TRADE AND IND. SET Ø36MM 5-PCS	63213	1	0	0	0
1//	WATER VACUUM SET Ø36MM 3- PCS	7727	1	0	0	0
19	WORKSHOP HOSE KIT AS SYSTEM 36 6 PCS	107413546	0	0	0	0
10	WORKSHOP HOSE KIT SYSTEM 36 5-PCS	107413545	0	0	0	0
The state of the s	WORKSHOP KIT BASIC D36MM 4PCS	107401367	1	0	0	0
	WORKSHOP SET Ø36MM 6-PCS	302000927	1	0	0	0
System 36 Tu	be					
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
C	CURVED HAND TUBE D36MM ST/CR	302000528	1	•	0	•
	CURVED HAND TUBE Ø36MM SS	46691	1	0	•	0
	EXTENSION TUBE D36 2X500MM ALU	107400032	1	0	0	0
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	1	•	0	•
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	1	0	0	0
	EXTENSION TUBE D36 3X350 MM SS	107416995	0	0	0	0
	EXTENSION TUBE Ø36 2X505MM SS	107408074	1	0	•	0
	TELESCOPIC TUBE D36 575-930MM CR-ST	107402654	1	0	0	0
	TELESCOPIC TUBE Ø36X550-970 SS	47109	1	0	0	0
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	1	0	0	0
	TOOL ADAPTER D27/35/38	60916	1	0	0	0
	TOOL ADAPTER WITH SUCTION REGULATION D32	107409977	1	0	0	0
System 36 Ho	se Vacuum Cleaner					
	HOSE AS D36X4000MM	15311	1	0	0	0
	HOSE Ø36X4000 AS EVA	63209	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
	HOSE Ø36X4000 MM AS RED	107413544	0	0	0	0
6	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	1	0	0	0
	SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT	302001677	1	0	0	0
	UNI. HOSE Ø36X3000MM EVA	15805	1	0	0	0
	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	1	•	•	•
	UNI. HOSE Ø36X4000MM EVA	25537	1	0	0	0
	UNIV HOSE WITH HAND TUBE D32X3500 CPL.	107409976	1	0	0	0
System 36 Br	ush/Universal Nozzle					
	BRUSH NOZZLE Ø36X70	5146	1	0	•	0
	BRUSH NOZZLE Ø36X230 PP/PA	6086	1	0	0	0
	OVAL BRUSH NOZZLE Ø36MM	40455	1	0	0	0
	RADIATOR BRUSH NOZZLE Ø36X420	5144	1	0	0	0
	SUCTION BRUSH D36 BLACK	302002509	1	0	0	0
*	TURBINE HAND BRUSH NOZZLE Ø36X150MM	41275	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
4	UNIV NOZZLE Ø36X150 ALU	5145	1	0	0	0
~	UNIVERSAL NOZZLE D36X115	14295	1	0	0	0
Special Filter						
	FILTER FOR MOTOR COOLING 30/40/50	107400453	1	0	0	0
	FILTER PROTECTIVE COVER Ø185X200	11801	1	0	0	0
	MOTOR COOLING FILTER KIT	302003721	1	0	0	0
	WET FILTER SIEVE Ø143X140MM SS	15475	1	0	0	0
System 50 Va	c Floor Nozzle					
_	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	1	0	0	0
	FLOOR NOZZLE Ø50x450 WET/DRY ADJ	302002880	1	0	0	0
4	FLOOR NOZZLE Ø50X350 PVC	6077	1	0	0	0
_	NOZZLE ALU. 500XØ50MM WET	15344	1	0	0	0
Filter						
	FILTER ELEMENT Ø185X140 HEPA H14	302001095	1	0	0	0
	FILTER ELEMENT Ø211X140 H-CLASS	302000658	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
9	FILTER PET FLEECE M-CLASS D185X140 ATTIX	302000490	1	•	•	•
	FLAT FILTER H-CLASS SET 2 PCS	107400449	1			
4	FLAT FILTER PET NANO M-CLASS SET 2 PCS	302002842	1			
System 50 Tu	be					
	ADAPTER Ø50-36MMX125	40452	1	0	0	0
	CURVED ALU EXT.TUBE Ø50X1000	15335	1	0	0	0
	CURVED HAND TUBE Ø50-36MM	15341	1	0	0	0
	ELBOW 90 Ø 50MM	5089	1	0	0	0
	SUCTION TUBE 2pcs Ø50 525MM PVC	5152	1	0	0	0
System 50 Ho	se Vacuum Cleaner					
(?)	AS HOSED50X4000MM	15815	1	0	0	0
þ	CHIPS HOSE Ø50X4000MM	15182	1	0	0	0
0	HOSE HEAT RESIST. Ø 50X4000MM	11061	1	0	0	0
	HOSE OIL RESISTANT D50X40	6468	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
	METAL HOSE Ø50X4000MM	15013	1	0	0	0
15	UNI. HOSE Ø50X4000MM EVA/ABS	15358	1	0	0	0
0	UNIV HOSE Ø 50X1750MM	19930	1	0	0	0
System 36 Va	c Floor Nozzle					
7	COMBI NOZZLE Ø36X260MM	302002365	1	0	0	0
<b>*</b>	ELECTRIC TURBINE BRUSH Ø36X305MM 230V	11664	1			
	FLOOR NOZZLE COMBI Ø36X270MM	107417892	0	0	0	0
<b>ل</b>	FLOOR NOZZLE D36x300MM W/D KIT	107402706	1	0	0	0
4	FLOOR NOZZLE D36X400MM W/D	302003666	1	•	0	•
مل	FLOOR NOZZLE Ø36X300MM	302002331	1	0	0	0
1.	FLOOR NOZZLE Ø36X330 ALU	5147	1	0	0	0
4	FLOOR NOZZLE Ø36X400 SPECIAL WET/DRY	5149	1	0	0	0
<u> </u>	NOZZLE ALU. 450XØ36MM DRY	15348	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
	NOZZLE ALU. 450XØ36MM WET	15349	1	0	0	0
	TURBINE BRUSH NOZZLE 300XØ36MM	54118	1	0	0	0
	WATER SUCTION NOZZLE Ø36X300	7270	1	0	0	0
System 50 Cr	revice/Cone Nozzle					
	CREVICE NOZZLE Ø50X370 PE	7102	1	0	0	0
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	1	0	0	0
1	FLAT NOZZLE RUBBER Ø50MM	31244	1	0	0	0
	ROUND NOZZLE Ø50MM RUBBER	19936	1	0	0	0
System 38 Va	ac Floor Nozzle	'		1		
٨	FLOOR NOZZLE D38x400 WET AND DRY	302002798	1	0	0	0
4	FLOOR NOZZLE Ø38x450 WET AND DRY ADJ	302002799	1	0	0	0
To the state of th	OVEN NOZZLE 400X Ø38MM	63380	1	0	0	0
System 36 Cr	revice/Cone Nozzle					
	CREVICE NOZZLE D36X200	29541	1	•	•	•



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
	CREVICE NOZZLE Ø36X300 PP	6084	1	0	0	0
	CREVICE NOZZLE Ø 36X15X920 ST/CR	17836	1	0	0	0
	DIA. TUBE NOZZLE Ø36x190 MM GREY RUBBER	5067	1	0	0	0
	FLAT NOZZLE Ø36MM RUBBER	40456	1	0	0	0
System 38 Tu	be					
	CURVED HAND TUBE D38 MM SS	302002889	1	0	0	0
	EXTEN TUBE THERMAL INSULATE Ø38X2000MM	15339	1	0	0	0
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	1	0	0	0
	EXTENSION TUBES R38 2X500 KIT	107402474	1	0	0	0
Sack Filter						
<b>*</b>	SPECIAL CLOTH FILTER NEEDLE FELT	302000606	1	0	0	0
System 27 Ho	se Vacuum Cleaner					
	HOSE D27X3500 AS WITH TOOL ADAPTER	107406091	1	0	0	0
	TOOL ADAPTER D27/36-24 AS	107404520	1	0	0	0
10	UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA	14289	1	0	0	0
System 38 Ho	se Vacuum Cleaner					
O	HOSE D38X5000 AS	107401368	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
	HOSE HEAT RES. 36X4000 FOR	6070	1	0	0	0
	UNI. SUCTION HOSE Ø38X4000MM EVA	302002796	1	0	0	0
	UNIV HOSE Ø36-38X4000MM EVA	15365	1	0	0	0
Other						
control (	AIRBOX 120V 60 HZ US	107400394	1			
	AIRBOX 230V 50 HZ EU	107400079	1			
9	SPARK EXTINGUISHER Ø50	34591	1	0	0	0
System 27 Bri	ush/Universal Nozzle					
	BRUSH CURRY COMB Ø 27MM	6093	1	0	0	0
-0	CURRY COMB Ø27MM	6092	1	0	0	0
	SPIKED CURRY COMB Ø 27MM	6094	1	0	0	0
System 32 Ho	se Vacuum Cleaner					
	AS HOSED32X5000MM WITH TOOL	30657	1	0	0	0
	COAXIAL SUCTION HOSE Ø32 SET	107400841	1			
	HOSE Ø32X4000MM AS RED	107413543	0	0	0	0
Filter Bag						
The same	FLEECE FILTER BAG 5 PCS ATTIX 40/50	302004004	1	0	0	0
Exhaust Air C	ollector					



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V 50HZ EU	ATTIX 50-01 PC 230V 50HZ CH	ATTIX 50-01 PC 230V 50HZ GB
	EXHAUST AIR COLLECTOR	302003717	1	0	0	0
System 50 Br	ush/Universal Nozzle					
4	COARSE DIRT NOZZLE Ø50X175 PP	5153	1	0	0	0
4	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	1	0	0	0
	ROUND BRUSH NOZZLE Ø50MM	40458	1	0	0	0
System 38 Cr	evice/Cone Nozzle					
	CREVICE FLAT NOZZLE Ø38X240X65 MM	43535	0	0	0	0
	CREVICE NOZZLE Ø38x300 MM PP	302002890	1	0	0	0
	PIPE CLEAN NOZZLE Ø38 R120-200MM	8054	1	0	0	0
	TOOL ADAPTER 38/50 MM	302002884	1	0	0	0
Disposal Bag						
P	DISPOSAL BAG ATTIX 5/50 5 PCS	302000728	1	0	0	0
	DISPOSAL BAG FOR FILTER ELEMENT	30082	1	0	0	0



 $\bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V50HZ VLT GB	ATTIX 50-01 PC 230V 50HZ ZA	ATTIX 50-01 PC 110V 50-60HZ GB
Vacuum Acce	ssory Set					
Sie!	ANIMAL CARE SET Ø27MM 4-PCS	6095	1	0	0	0
	BOILER SET Ø 36MM 4-PCS	60430	1	0	0	0
1	CAR SET Ø36MM 3 PCS	63211	1	0	0	0
þ,	CHIP SET Ø50MM 2-PCS	61681	1	0	0	0
1/2	HOME & OFFICE SET Ø36MM 5-PCS	63212	1	0	0	0
	HOSE SET Ø36MM 3 PCS	63210	1	0	0	0
1	INDUSTR. FLOOR SET Ø36MM 4-PCS	63214	1	0	0	0
<u> </u>	INDUSTR. FLOOR SET Ø50MM 6-PCS	63216	1	0	0	0
9	INDUSTRIAL SET 38	302002881	1	0	0	0
9/2	OVEN CLEANING SET 3 PCS	14341	1	0	0	0
<b>1</b>	PIPE CLEANING SET Ø 38MM 4-PCS	63215	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V50HZ VLT GB	ATTIX 50-01 PC 230V 50HZ ZA	ATTIX 50-01 PC 110V 50-60HZ GB
10,,	STANDARD VAC SET Ø50MM 3-PCS	6085	1	0	0	0
<u></u>	TRADE AND IND. SET Ø36MM 5-PCS	63213	1	0	0	0
1//	WATER VACUUM SET Ø36MM 3- PCS	7727	1	0	0	0
19	WORKSHOP HOSE KIT AS SYSTEM 36 6 PCS	107413546	0	0	0	0
19	WORKSHOP HOSE KIT SYSTEM 36 5-PCS	107413545	0	0	0	0
The state of the s	WORKSHOP KIT BASIC D36MM 4PCS	107401367	1	0	0	0
	WORKSHOP SET Ø36MM 6-PCS	302000927	1	0	0	0
System 36 Tu	be					
	ADAPTER TUBE STRAIGHT AS Ø36MM	29457	1	0	0	0
	CURVED HAND TUBE D36MM ST/CR	302000528	1	0	•	•
	CURVED HAND TUBE Ø36MM SS	46691	1	0	0	0
	EXTENSION TUBE D36 2X500MM ALU	107400032	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V50HZ VLT GB	ATTIX 50-01 PC 230V 50HZ ZA	ATTIX 50-01 PC 110V 50-60HZ GB
	EXTENSION TUBE D36 2X505MM ST/CR	302000529	1	0	•	•
	EXTENSION TUBE D36 2X515MM PLASTIC	40696	1	0	0	0
	EXTENSION TUBE D36 3X350 MM SS	107416995	0	0	0	0
	EXTENSION TUBE Ø36 2X505MM SS	107408074	1	0	0	0
	TELESCOPIC TUBE D36 575-930MM CR-ST	107402654	1	0	0	0
	TELESCOPIC TUBE Ø36X550-970 SS	47109	1	0	0	0
	TOOL ADAPTER D27 QUICKSYSTEM	302000535	1	0	0	0
	TOOL ADAPTER D27/35/38	60916	1	0	0	0
	TOOL ADAPTER WITH SUCTION REGULATION D32	107409977	1	0	0	0
System 36 Ho	ose Vacuum Cleaner					
	HOSE AS D36X4000MM	15311	1	0	0	0
	HOSE Ø36X4000 AS EVA	63209	1	0	0	0
	HOSE Ø36X4000 MM AS RED	107413544	0	0	0	0
	HOSE Ø36X5000MM AS W COUPLING ACCESSORY	302001682	1	•	0	0
_	SUCTION HOSE Ø36X3500 HEAT/OIL-RESISTANT	302001677	1	0	0	0
	UNI. HOSE Ø36X3000MM EVA	15805	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V50HZ VLT GB	ATTIX 50-01 PC 230V 50HZ ZA	ATTIX 50-01 PC 110V 50-60HZ GB
9	UNI. HOSE Ø36X3000MM W COUPLING EVA	46948	1	0	•	•
	UNI. HOSE Ø36X4000MM EVA	25537	1	0	0	0
	UNIV HOSE WITH HAND TUBE D32X3500 CPL.	107409976	1	0	0	0
System 36 Br	ush/Universal Nozzle					
	BRUSH NOZZLE Ø36X70	5146	1	0	0	0
	BRUSH NOZZLE Ø36X230 PP/PA	6086	1	0	0	0
	OVAL BRUSH NOZZLE Ø36MM	40455	1	0	0	0
	RADIATOR BRUSH NOZZLE Ø36X420	5144	1	0	0	0
	SUCTION BRUSH D36 BLACK	302002509	1	0	0	0
<b>4</b>	TURBINE HAND BRUSH NOZZLE Ø36X150MM	41275	1	0	0	0
4	UNIV NOZZLE Ø36X150 ALU	5145	1	0	0	0
~	UNIVERSAL NOZZLE D36X115	14295	1	0	0	0
Special Filter						
	FILTER FOR MOTOR COOLING 30/40/50	107400453	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V50HZ VLT GB	ATTIX 50-01 PC 230V 50HZ ZA	ATTIX 50-01 PC 110V 50-60HZ GB
(A)	FILTER PROTECTIVE COVER Ø185X200	11801	1	0	0	0
THE PARTY OF THE P	MOTOR COOLING FILTER KIT	302003721	1	0	0	0
The state of the s	WET FILTER SIEVE Ø143X140MM SS	15475	1	0	0	0
System 50 Va	ac Floor Nozzle					
	FLOOR NOZZLE ALU. 500XØ50MM DRY	15343	1	0	0	0
	FLOOR NOZZLE Ø50x450 WET/DRY ADJ	302002880	1	0	0	0
<b>4</b>	FLOOR NOZZLE Ø50X350 PVC	6077	1	0	0	0
_	NOZZLE ALU. 500XØ50MM WET	15344	1	0	0	0
Filter						
	FILTER ELEMENT Ø185X140 HEPA H14	302001095	1	0	0	0
	FILTER ELEMENT Ø211X140 H-CLASS	302000658	1	0	0	0
9	FILTER PET FLEECE M-CLASS D185X140 ATTIX	302000490	1	•	•	•
	FLAT FILTER H-CLASS SET 2 PCS	107400449	1			
4	FLAT FILTER PET NANO M-CLASS SET 2 PCS	302002842	1			



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V50HZ VLT GB	ATTIX 50-01 PC 230V 50HZ ZA	ATTIX 50-01 PC 110V 50-60HZ GB
System 50 Tu	be					
	ADAPTER Ø50-36MMX125	40452	1	0	0	0
	CURVED ALU EXT.TUBE Ø50X1000	15335	1	0	0	0
	CURVED HAND TUBE Ø50-36MM	15341	1	0	0	0
	ELBOW 90 Ø 50MM	5089	1	0	0	0
	SUCTION TUBE 2pcs Ø50 525MM PVC	5152	1	0	0	0
System 50 Ho	ose Vacuum Cleaner					
(?)	AS HOSED50X4000MM	15815	1	0	0	0
þ	CHIPS HOSE Ø50X4000MM	15182	1	0	0	0
0	HOSE HEAT RESIST. Ø 50X4000MM	11061	1	0	0	0
	HOSE OIL RESISTANT D50X40	6468	1	0	0	0
	METAL HOSE Ø50X4000MM	15013	1	0	0	0
15	UNI. HOSE Ø50X4000MM EVA/ABS	15358	1	0	0	0
	UNIV HOSE Ø 50X1750MM	19930	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V50HZ VLT GB	ATTIX 50-01 PC 230V 50HZ ZA	ATTIX 50-01 PC 110V 50-60HZ GB
System 36 Va	c Floor Nozzle					
7	COMBI NOZZLE Ø36X260MM	302002365	1	0	0	0
<b>*</b>	ELECTRIC TURBINE BRUSH Ø36X305MM 230V	11664	1			
	FLOOR NOZZLE COMBI Ø36X270MM	107417892	0	0	0	0
مل	FLOOR NOZZLE D36x300MM W/D KIT	107402706	1	0	0	0
く	FLOOR NOZZLE D36X400MM W/D	302003666	1	0	0	•
1	FLOOR NOZZLE Ø36X300MM	302002331	1	0	0	0
1.	FLOOR NOZZLE Ø36X330 ALU	5147	1	0	0	0
~	FLOOR NOZZLE Ø36X400 SPECIAL WET/DRY	5149	1	0	0	0
	NOZZLE ALU. 450XØ36MM DRY	15348	1	0	0	0
	NOZZLE ALU. 450XØ36MM WET	15349	1	0	0	0
	TURBINE BRUSH NOZZLE 300XØ36MM	54118	1	0	0	0
	WATER SUCTION NOZZLE Ø36X300	7270	1	0	0	0
System 50 Cre	evice/Cone Nozzle					



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V50HZ VLT GB	ATTIX 50-01 PC 230V 50HZ ZA	ATTIX 50-01 PC 110V 50-60HZ GB
	CREVICE NOZZLE Ø50X370 PE	7102	1	0	0	0
	DIAGONAL TUBE NOZZLE Ø50 RUBBER	7868	1	0	0	0
	FLAT NOZZLE RUBBER Ø50MM	31244	1	0	0	0
	ROUND NOZZLE Ø50MM RUBBER	19936	1	0	0	0
System 38 Va	c Floor Nozzle					
٧	FLOOR NOZZLE D38x400 WET AND DRY	302002798	1	0	0	0
4	FLOOR NOZZLE Ø38x450 WET AND DRY ADJ	302002799	1	0	0	0
	OVEN NOZZLE 400X Ø38MM	63380	1	0	0	0
System 36 Cr	evice/Cone Nozzle		,			
	CREVICE NOZZLE D36X200	29541	1	•	•	•
	CREVICE NOZZLE Ø36X300 PP	6084	1	0	0	0
	CREVICE NOZZLE Ø 36X15X920 ST/CR	17836	1	0	0	0
1	DIA. TUBE NOZZLE Ø36x190 MM GREY RUBBER	5067	1	0	0	0
	FLAT NOZZLE Ø36MM RUBBER	40456	1	0	0	0
System 38 Tu	be					



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V50HZ VLT GB	ATTIX 50-01 PC 230V 50HZ ZA	ATTIX 50-01 PC 110V 50-60HZ GB
	CURVED HAND TUBE D38 MM SS	302002889	1	0	0	0
	EXTEN TUBE THERMAL INSULATE Ø38X2000MM	15339	1	0	0	0
	EXTEN TUBE THERMAL INSULATE Ø38X2500MM	15340	1	0	0	0
	EXTENSION TUBES R38 2X500 KIT	107402474	1	0	0	0
Sack Filter						
<b>*</b>	SPECIAL CLOTH FILTER NEEDLE FELT	302000606	1	0	0	0
System 27 Ho	ose Vacuum Cleaner					
	HOSE D27X3500 AS WITH TOOL ADAPTER	107406091	1	0	0	0
	TOOL ADAPTER D27/36-24 AS	107404520	1	0	0	0
10	UNIV HOSE Ø27X3500 WITH TOOL ADAPTER EVA	14289	1	0	0	0
System 38 Ho	ose Vacuum Cleaner					
O	HOSE D38X5000 AS	107401368	1	0	0	0
	HOSE HEAT RES. 36X4000 FOR	6070	1	0	0	0
	UNI. SUCTION HOSE Ø38X4000MM EVA	302002796	1	0	0	0
	UNIV HOSE Ø36-38X4000MM EVA	15365	1	0	0	0
Other						



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V50HZ VLT GB	ATTIX 50-01 PC 230V 50HZ ZA	ATTIX 50-01 PC 110V 50-60HZ GB
	AIRBOX 120V 60 HZ US	107400394	1			
	AIRBOX 230V 50 HZ EU	107400079	1			
1	SPARK EXTINGUISHER Ø50	34591	1	0	0	0
System 27 Br	ush/Universal Nozzle	'	,		'	
	BRUSH CURRY COMB Ø 27MM	6093	1	0	0	0
-	CURRY COMB Ø27MM	6092	1	0	0	0
	SPIKED CURRY COMB Ø 27MM	6094	1	0	0	0
System 32 Ho	ose Vacuum Cleaner					
	AS HOSED32X5000MM WITH TOOL	30657	1	0	0	0
	COAXIAL SUCTION HOSE Ø32 SET	107400841	1			
	HOSE Ø32X4000MM AS RED	107413543	0	0	0	0
Filter Bag						
No.	FLEECE FILTER BAG 5 PCS ATTIX 40/50	302004004	1	0	0	0
Exhaust Air C	collector					
	EXHAUST AIR COLLECTOR	302003717	1	0	0	0
System 50 Br	System 50 Brush/Universal Nozzle					
4	COARSE DIRT NOZZLE Ø50X175 PP	5153	1	0	0	0
4	COARSE DIRT NOZZLE Ø50X200MM ALU	41100	1	0	0	0



	Accessories	Ref. no.	Min. required	ATTIX 50-01 PC 230V50HZ VLT GB	ATTIX 50-01 PC 230V 50HZ ZA	ATTIX 50-01 PC 110V 50-60HZ GB
	ROUND BRUSH NOZZLE Ø50MM	40458	1	0	0	0
System 38 Cr	evice/Cone Nozzle					
	CREVICE FLAT NOZZLE Ø38X240X65 MM	43535	0	0	0	0
	CREVICE NOZZLE Ø38x300 MM PP	302002890	1	0	0	0
	PIPE CLEAN NOZZLE Ø38 R120-200MM	8054	1	0	0	0
	TOOL ADAPTER 38/50 MM	302002884	1	0	0	0
Disposal Bag						
P	DISPOSAL BAG ATTIX 5/50 5 PCS	302000728	1	0	0	0
	DISPOSAL BAG FOR FILTER ELEMENT	30082	1	0	0	0

