## Professional wet/dry vacuum cleaner with high suction power

The VIPER LSU395 is a wet/dry professional vacuum cleaner. It is easy to use, robust and has optimal suction power.

LSU product family has a modular design with different tank capacities and motor quantities.

Tank capacity for LSU395 is 95 liters and it has three motors. You can choose stainless steel tank or red plastic tank.

It has a drain hose mounted and you can easily empty the tank without taking off the motor.

It has large rear wheels and rotating front wheels which makes it light and easy to maneuver.

As standard the machine is delivered with the following accessories: crevice tool, round dusting brush, wet pick-up tool and dry pick-up tool.

- · Easy to use and service
- · Optimal suction power
- · Robust chassis
- · Drain hose
- Large rear wheels and rotating front wheels
- · Cable storage & Accessory storage
- For wet or dry vacuum application
- · EU/UK version available



Picture shown may not represent model quoted

## Standard equipment

	Included accessories	Ref. no.	Min. required	LSU395-EU	LSU395-UK	LSU395-CN	
Nozzle							
4	DRY PICK-UP TOOL	VA80036	1	•	•	•	
Vac Nozzle V	Vac Nozzle Wet						
~	WET PICK-UP TOOL	VA80853	1	•	•	•	
Round Brush	Round Brush Nozzle						
•	DUSTING Ø 38 MM	VA20803	1	•	•	•	
Crevice Nozz	Crevice Nozzle						
	CREVICE TOOL Ø 38 MM	VA20806	1	•	•	•	
Filter							
9	75L ABSORBING DUST FILTER	VA80110	1	•	•	•	



## Professional wet/dry vacuum cleaner with high suction power

Included accessories		Ref. no.	Min. required	LSU395-EU	LSU395-UK	LSU395-CN
Tube						
9	SUCTION TUBE ASSEMBLY	VA80400	1	•	•	•
7	WAND ASSEMBLY	VA80711	1	•	•	•
Model		LSU395-EU	J LSU3	95-UK	LSU395-CN	
Ref. no.			50000150	0000150 50000152		50000154
PRODUCT F	PRODUCT FEATURES					
Recovery emptying hoses			•		•	
Easy-to-carry handle			•		•	
Technical spe	ecifications		LSU395-EU	J LSU3	95-UK	LSU395-CN
Vacuum motor type			2-stage	2-st	tage	2-stage
Voltage (V)			220-240	220	-240	220-240
Frequency (Hz)			50-60	50	-60	50-60
Rated power (W)			3000	30	000	3000
Airflow (I/min.)			3540 354		40	3540
Vacuum (mm H2O)		2280	22	280	2280	
Sound pressure level (dB(A))		79	7	9	79	
Cable length (m)		10/orange	10/oı	range	10/orange	
Tank capacity (I)			95	9	5	95
Length x width x height (cm)			63.4x58.6x11	12 63.4x5	8.6x112 6	63.4x58.6x112
Weight (kg)			29.3	29	9.3	29.3

 $\bullet$  Standard equipment,  $^{\bigcirc}$  Supplementary accessories,  $^{\square}$  Mountable equipment

	Accessories	Ref. no.	Min. required	LSU395-EU	LSU395-UK	LSU395-CN	
Round Brush Nozzle							
•	DUSTING Ø 38 MM	VA20803	1	•	•	•	
Crevice Nozz	Crevice Nozzle						
	CREVICE TOOL Ø 38 MM	VA20806	1	•	•	•	



## Professional wet/dry vacuum cleaner with high suction power

	Accessories	Ref. no.	Min. required	LSU395-EU	LSU395-UK	LSU395-CN	
Nozzle							
1	DRY PICK-UP TOOL	VA80036	1	•	•	•	
Filter							
8	75L ABSORBING DUST FILTER	VA80110	1	•	•	•	
	FILTER WET LSU375/395/CAR275	VA81343	1	0	0	0	
Tube							
9	SUCTION TUBE ASSEMBLY	VA80400	1	•	•	•	
7	WAND ASSEMBLY	VA80711	1	•	•	•	
Vac Nozzle V	/et		'		'		
Y	WET PICK-UP TOOL	VA80853	1	•	•	•	
Squeegee, Bl	ade, Skirt and Splash Guard						
<b>\</b>	BLADE STRIP KIT 38MM	VA86700	1	0	0	0	
Other							
	TROLLEY FIXED SQUEEGEE KIT 69CM	VA87704	1	0	0	0	
Bag							
<b>D</b>	DUST BAG MICROFIBER 60L PACK 10PCS	VA82060-P10	1	0	0	0	

